

www.jang.com.pk  
 JangDotComDotPk jangsdotcom jang akhbar  
 پاکستان کے روزنامہ سچائی  
 ABC CERTIFIED  
 جگہ تصدیق شدہ شائستگی  
 THE DAILY JANG KARACHI  
 دوزخ  
 بی بی سحر ظلیل الرحمن  
 154  
 پیر 15 مئی 2023ء 1444ھ 5 جون 2023ء  
 87  
 MONDAY JUNE 5, 2023



# DOW UNIVERSITY OF HEALTH SCIENCES

تاریخ: 02 جون 2023 DUHS/DP/2023/235-CORR-1 ریفرنس نمبر:

## تصدیق شدہ

حوالہ: نیٹورٹس (ایس آئی ٹی) نمبر DUHS/DP/2023/234-235&237-238، تاریخ: 15 مئی 2023، ریفرنس نمبر DUHS/DP/2023/235 CORONARY ANGIOGRAPHY کا ریفرنس، ایس اور Ancillaries آلٹرنیٹو فریم ورک کنٹریکٹ کی بنیاد پر فراہمی کیلئے تاریخ: 19 مئی 2023ء؛ فی ڈان روز نامہ جنگ اور روز نامہ ننگل میں شائع ہونے کے ساتھ ڈاؤن لوڈ شدہ آف لائن سائٹس (ڈی ہاؤس ایس) اور سٹور پیج پر ڈیکورنٹ ریگولیری اتھارٹی (ایس پی پی آر) کی ویب سائٹ پر اپ لوڈ کیا گیا۔  
 PPMS ریفرنس نمبر: 22-0029-00582 T00582

۱۔ درج ذیل آلٹرنیٹو مصنوعات اصریمات اتھارٹیوں میں مندرجہ ذیل صحیح ایزم نوٹ کریں:

تصدیق شدہ	موجود	نمبر
FIELDER FC/XT CORONARY ANGIOGRAPHY GUIDE WIRE 0.014" 180CM OR EQUIVALENT ( FDA Approved / CE marked ; DRAP Approved)	FIELDER FC/XT CORONARY ANGIOGRAPHY GUIDE WIRE 0.014" 180CM OR EQUIVALENT (USA made, FDA Approved)	48
GUIDE WIRE 0.014" BMW OR EQUIVALENT Soft tip floppy wire/Cougar XT (USA made , FDA Approved/CE marked)	GUIDE WIRE 0.014" BMW OR EQUIVALENT Soft tip floppy wire/Cougar XT (USA made , FDA Approved)	49
CORONARY ANGIOPLASTY GUIDE WIRE 0.014" PILOT 50 OR EQUIVALENT HYDROPHILIC GUIDE WIRE (GLIDE WIRE) (FDA Approved / CE marked; DRAP approved)	CORONARY ANGIOPLASTY GUIDE WIRE 0.014" PILOT 50 OR EQUIVALENT HYDROPHILIC GUIDE WIRE (GLIDE WIRE) (USA made , FDA Approved)	50
ANGIOPLASTY GUIDING CATHETER JR 3.5 6F 100CM (FDA Approved/CE marked; DRAP approved)	ANGIOPLASTY GUIDING CATHETER JR 3.5 6F 100CM (USA made , FDA Approved)	51
GUIDING CATHETER 6F JR 4.0 100CM (USA made , FDA Approved/ CE marked; DRAP approved)	GUIDING CATHETER 6F JR 4.0 100CM (USA made , FDA Approved)	52
GUIDING CATHETER 6FR EBU3.5 100CM (USA made , FDA Approved/ CE marked; DRAP approved)	GUIDING CATHETER 6FR EBU3.5 100CM (USA made , FDA Approved)	53
GUIDING CATHETER AL1 6FR (FDA Approved/ CE marked; DRAP approved)	GUIDING CATHETER AL1 6FR (USA made , FDA Approved)	54
GUIDING CATHETER EBU 3.0 6FR (USA made , FDA Approved/ CE marked; DRAP approved)	GUIDING CATHETER EBU 3.0 6FR (USA made, FDA Approved)	55
NON COMPLIANT BALLOON DILATATION CATHETER ALL SIZES (FDA approved or CE marked; DRAP approved) (Non Compliance)	NON COMPLIANT BALLOON DILATATION CATHETER ALL SIZES (USA made FDA approved) (Non Compliance)	71
SEMICOMPLIANT CORONARY BALLOON DILATATION CATHETER ALL ASSORTED SIZES (FDA Approved ; CE marked; DRAP approved)	SEMICOMPLIANT CORONARY BALLOON DILATATION CATHETER ALL ASSORTED SIZES (FDA Approved ; USA made)	72
WHISPER MS AND LS PTCA WIRES OR EQUIVALENT Hydrophilic Coating (FDA approved/ CE marked; DRAP approved)	WHISPER MS AND LS PTCA WIRES OR EQUIVALENT Hydrophilic Coating (USA made FDA approved)	75

۲۔ مندرجہ ذیل شیڈول کے مطابق ٹینڈر خریدنے، پہنچانے اور کھلنے کی تاریخ میں توسیع کر دی گئی ہے:

- (ا) ٹینڈر خریدنے کی آخری تاریخ: 24 جون 2023
- (ب) پہنچانے کی تاریخ اور وقت: 26 جون 2023 صبح 11:30 بجے تک
- (ج) پہنچانے کی تاریخ اور وقت: 26 جون 2023 صبح 12:00 بجے تک

نوٹ: ☆ خواہشمند ہوئی، ہندکان سے گزارش ہے کہ درست مطابقت کیلئے تمام صحیح ایزم اتھارٹیوں کو نوٹ کریں۔  
 ☆ ٹینڈر کی دیگر شرائط و ضوابط میں کوئی تبدیلی نہیں کی جائے گی۔

ڈائریکٹر پروکیورمنٹ

ڈاؤن لوڈ شدہ آف لائن سائٹس (ایس آئی ٹی) نمبر: ڈیکورنٹ ریگولیری اتھارٹی (ایس پی پی آر) کی ویب سائٹ پر اپ لوڈ کیا گیا۔  
 فون: +92-21-9926149-21 ای میل: director.procurement@duhs.edu.pk

# DAWN

TODAY'S PAPER | JUNE 05, 2023



## DOW UNIVERSITY OF HEALTH SCIENCES

Ref. No: DUHS/DP/2023/235-CORR-1

Dated: 02 June, 2023

### CORRIGENDUM

Reference to the Notice Inviting Tender (N.I.T) No: DUHS/ DP/2023/234-235 & 237-238 DATED: 15 MAY 2023, Ref. No: DUHS/DP/2023/235 for the Procurement of Cardiology / Cath Lab and Ancillaries Items on Framework Contract basis appeared in The Daily Dawn, The Daily Jang and The Daily Jeejal on 19th May 2023, uploaded on Dow University of Health Sciences (DUHS) and Sindh Public Procurement Regulatory Authority (SPPRA) website at PPMS Sr. No: T00582-22-0029.

1. The descriptions / specifications / changes of the following items have been corrected / modified.

NO.	EXISTING	CORRECTED
48	FIELDER FC/XT CORONARY ANGIOGRAPHY GUIDE WIRE 0.014" 180CM OR EQUIVALENT (USA made, FDA Approved)	FIELDER FC/XT CORONARY ANGIOGRAPHY GUIDE WIRE 0.014" 180CM OR EQUIVALENT ( FDA Approved / CE marked ; DRAP Approved)
49	GUIDE WIRE 0.014' BMW OR EQUIVALENT Soft tip floppy wire/Cougar XT (USA made , FDA Approved)	GUIDE WIRE 0.014' BMW OR EQUIVALENT Soft tip floppy wire/Cougar XT (USA made , FDA Approved/CE marked)
50	CORONARY ANGIOPLASTY GUIDE WIRE 0.014' PILOT 50 OR EQUIVALENT HYDROPHILIC GUIDE WIRE (GLIDE WIRE) (USA made , FDA Approved)	CORONARY ANGIOPLASTY GUIDE WIRE 0.014' PILOT 50 OR EQUIVALENT HYDROPHILIC GUIDE WIRE (GLIDE WIRE) (FDA Approved / CE marked; DRAP approved)
51	ANGIOPLASTY GUIDING CATHETER JR 3.5 6F 100CM (USA made , FDA Approved)	ANGIOPLASTY GUIDING CATHETER JR 3.5 6F 100CM (FDA Approved/CE marked; DRAP approved)
52	GUIDING CATHETER 6F JR 4.0 100CM (USA made , FDA Approved)	GUIDING CATHETER 6F JR 4.0 100CM (USA made , FDA Approved/ CE marked; DRAP approved)
53	GUIDING CATHETER 6FR EBU3.5 100CM (USA made , FDA Approved)	GUIDING CATHETER 6FR EBU3.5 100CM (USA made , FDA Approved/ CE marked; DRAP approved)
54	GUIDING CATHETER AL1 6FR (USA made , FDA Approved)	GUIDING CATHETER AL1 6FR (FDA Approved/ CE marked; DRAP approved)
55	GUIDING CATHETER EBU 3.0 6FR (USA made, FDA Approved)	GUIDING CATHETER EBU 3.0 6FR (USA made , FDA Approved/ CE marked; DRAP approved)
71	NON COMPLIANT BALLOON DILATATION CATHETER ALL SIZES (USA made FDA approved) (Non Compliance)	NON COMPLIANT BALLOON DILATATION CATHETER ALL SIZES (FDA approved or CE marked; DRAP approved) (Non Compliance)
72	SEMICOMPLIANT CORONARY BALLOON DILATATION CATHETER ALL ASSORTED SIZES (FDA Approved ; USA made)	SEMICOMPLIANT CORONARY BALLOON DILATATION CATHETER ALL ASSORTED SIZES (FDA Approved ; CE marked; DRAP approved)
75	WHISPER MS AND LS PTCA WIRES OR EQUIVALENT Hydrophylic Coating (USA made FDA approved)	WHISPER MS AND LS PTCA WIRES OR EQUIVALENT Hydrophilic Coating (FDA approved/ CE marked; DRAP approved)

2. The tender purchasing, bids delivery and bids opening dates have been extended as per following schedule.


- a. **Last Date for Tender Purchase:** 24 June 2023.  
b. **Bids Delivery Date & Time:** 26 June 2023 upto 11:30 a.m.  
c. **Bids Opening Date & Time:** 26 June 2023 upto 12:00 Noon.

**Note:**

- a. Interested bidders are requested to note the corrections/modifications/changes for strict compliance.  
b. All other terms and conditions of the tender shall remain unchanged.

**Director Procurement**

Dow University of Health Sciences (Ojha Campus)  
Procurement Directorate at Library Block, SUPARCO Road, off Main University Road,  
Gulzar-e-Hijari, Scheme No. 33, Karachi  
Phone no: +92-21-9926149 Email: director.procurement@duhs.edu.pk.



ڪراچي، حيدرآباد ۽ سکرمان هڪ ئي وقت شايع ٿيندڙ روزاني سنڌي اخبار

اڱارو 06 جون 2023 ع

جلد 19

www.dailyjeejal.com



## DOW UNIVERSITY OF HEALTH SCIENCES

تاريخ: 02 جون 2023

ريفرنس نمبر: DUHS/DP/2023/235-CORR-1

### تصحيح

حوالو ٿيندڙ نوٽيس (اين آءِ ٽي) نمبر 237-238 & DUHS/DP/2023/234-35 تاريخ 15 مئي 2023 ريفرنس نمبر. DUHS/DP/2023/235 عنوان: ڪارڊيولاجي/Cath ليمب ۽ Ancillaries آئٽمز جي فريئر ورڪ ڪانٽريڪٽ ڪانٽريڪٽ جي بنياد تي فراهمي لاءِ تاريخ 19.05.2023 تي ڊيلي ڊان، روزاني جنگ ۽ روزاني جيجل ۾ شايع ٿيل سان گڏ ڊائو يونيورسٽي آف هيلٿ سائنسز (ڊي يو ايج ايس) ۽ سنڌ پبلڪ پروڪيورمينٽ ريگيوليٽري اٿارٽي (ايس پي پي آر اِي) جي ويب سائيٽ تي اپ لوڊ ڪيو ويو. PPMS Serial No. T00582-22-0029

1. هيٺ ڏنل آئٽمز جي وضاحت/تصريحات/تبديليون ۾ هيٺ ڏنل تصحيح/ترميم نوٽ ڪريو:

FIELDER FC/XT CORONARY ANGIOGRAPHY GUIDE WIRE 0.014" 180CM OR EQUIVALENT ( FDA Approved / CE marked ; DRAP Approved)	FIELDER FC/XT CORONARY ANGIOGRAPHY GUIDE WIRE 0.014" 180CM OR EQUIVALENT (USA made, FDA Approved)	48
GUIDE WIRE 0.014' BMW OR EQUIVALENT Soft tip floppy wire/Cougar XT (USA made , FDA Approved/CE marked)	GUIDE WIRE 0.014' BMW OR EQUIVALENT Soft tip floppy wire/Cougar XT (USA made , FDA Approved)	49
CORONARY ANGIOPLASTY GUIDE WIRE 0.014' PILOT 50 OR EQUIVALENT HYDROPHILIC GUIDE WIRE (GLIDE WIRE) (FDA Approved / CE marked; DRAP approved)	CORONARY ANGIOPLASTY GUIDE WIRE 0.014' PILOT 50 OR EQUIVALENT HYDROPHILIC GUIDE WIRE (GLIDE WIRE) (USA made , FDA Approved)	50
ANGIOPLASTY GUIDING CATHETER JR 3.5 6F 100CM (FDA Approved/CE marked; DRAP approved)	ANGIOPLASTY GUIDING CATHETER JR 3.5 6F 100CM (USA made , FDA Approved)	51
GUIDING CATHETER 6F JR 4.0 100CM (USA made , FDA Approved/ CE marked; DRAP approved)	GUIDING CATHETER 6F JR 4.0 100CM (USA made , FDA Approved)	52
GUIDING CATHETER 6FR EBU3.5 100CM (USA made , FDA Approved/ CE marked; DRAP approved)	GUIDING CATHETER 6FR EBU3.5 100CM (USA made , FDA Approved)	53
GUIDING CATHETER AL1 6FR (FDA Approved/ CE marked; DRAP approved)	GUIDING CATHETER AL1 6FR (USA made , FDA Approved)	54
GUIDING CATHETER EBU 3.0 6FR (USA made , FDA Approved/ CE marked; DRAP approved)	GUIDING CATHETER EBU 3.0 6FR (USA made, FDA Approved)	55
NON COMPLIANT BALLOON DILATATION CATHETER ALL SIZES (FDA approved or CE marked; DRAP approved) (Non Compliance)	NON COMPLIANT BALLOON DILATATION CATHETER ALL SIZES (USA made FDA approved) (Non Compliance)	71
SEMICOMPLIANT CORONARY BALLOON DILATATION CATHETER ALL ASSORTED SIZES (FDA Approved ; CE marked; DRAP approved)	SEMICOMPLIANT CORONARY BALLOON DILATATION CATHETER ALL ASSORTED SIZES (FDA Approved ; USA made)	72
WHISPER MS AND LS PTCA WIRES OR EQUIVALENT Hydrophilic Coating (FDA approved/ CE marked; DRAP approved)	WHISPER MS AND LS PTCA WIRES OR EQUIVALENT Hydrophylic Coating (USA made FDA approved)	75

2. هيٺ ڏنل شيڊول جي مطابق ٿيندڙ خريد ڪرڻ، پهچائڻ ۽ ڪلڻ جي تاريخ ۾ واڌارو ڪيو ويو آهي:

(ا). ٿيندڙ خريد ڪرڻ جي آخري تاريخ: 24 جون 2023

(ب). واڪن پهچائڻ جو جي تاريخ ۽ وقت: 26 جون 2023 تي صبح 11:30 وڳي تائين.

(ج). واڪن ڪلڻ جي تاريخ ۽ وقت: 26 جون 2023 تي صبح 12:00 وڳي تائين.

نوٽ: خواهشمند واک ڏيندڙن کي گذارش ڪجي ٿي تہ درست مطابقت لاءِ سموريون تصحيحات/ترميمون/تبديليون نوٽ ڪن.

ٿيندڙ جي ٻين شرطن ۽ ضابطن ۾ ڪا به تبديلي نه ڪئي ويندي.

### ڊائريڪٽر پروڪيورمينٽ

ڊائو يونيورسٽي آف هيلٿ سائنسز (اوجها ڪيمپس)

پروڪيورمينٽ ڊائريڪٽوريٽ، لائبريري بلاڪ، سهارڪو روڊ آف مين يونيورسٽي روڊ، گلزار هجري، اسڪر نمبر 33، ڪراچي.

فون: +92-21-9926149 | اي ميل: director.procurement@duhs.edu.pk