

**TECHNICAL EVALUATION REPORT OF BIDDERS' ELIGIBILITY / RESPONSIVENESS
 SUPPLY / FIXING / INSTALLATION / COMMISSIONING OF HVAC FOR 3RD & 4TH FLOOR
 OF SERO BIOLOGY BUILDING ON (TURNKEY BASIS) AT OJHA CAMPUS, DUHS, KARACHI.
 REF: DUHS/W&S/2019/052, NIT No. DUHS/ W&S /2019/04 Dated 16 September 2019
 Technical Bids Opened on 15 October 2019 AT 11:30 A.M.**

PRODUCT EVALUATION	
PARAMETERS / SUB-PARAMETERS	

MANDATORY REQUIRMENT FOR TECHNICAL EVALUATION FOR ELIGIBLE BIDDERS / QUALIFICATION CRITERIA

ITB Clause	Technical Evaluation Parameters	Total Marks	M/s MIA Corporation.	M/s Habibullah Associates (PVT) LTD.	M/s National Technologies Inc.
1	Conformity to the Purchaser's Specifications (Mandatory)	25	0	0	0
1.1	Fully compliant with the required specifications	25			
1.2	Compliant with minor deviation (up to 10% subject to main function is not effected)	20			
1.3	Non-compliant to required specifications	Disqualify	Disqualify due to 03 options & as per clause 15. sub clause 15.1(No alternative bid allowed Cooling tower Non Confermity in technical spacification not be submitted shall be closed type with copper pipes as heat transfer medium)	Disqualify due to clause 3.0 sub clause 3.1(Cooling tower Non Confermity (Malasiya) Air handling Unit Non Confermity (Turkey)	Disqualify (due to joint venture)
2	Product Certification	15	15	0	0
2.1	USA Food & Drug Administration (USA-FDA) and European Community (CE) MDD or Japan Industrial Standard (JIS) / Cooling Technology Institute (CTI) / Japan Quality Assurance Organization (JQAO) / Certificate issued by Ministry of Health, Labour and Welfare Govt. of Japan	15	15		
2.2	European Community (CE) MDD and Japan Industrial Standard (JIS) / Japan Quality Assurance Organization (JQAO) / Certificate issued by Ministry of Health, Labour and Welfare Govt. of Japan	12			
2.3	USA - Food and Drug Administration (USA-FDA)	10			
2.4	European Community (CE) MDD	8		Disqualify (product made in turkey & malaysia)	Disqualify (due to joint venture)
2.5	Japan Industrial Standard (JIS)/Japan Quality Assurance Organization (JQAO) Certificate issued by Ministry of Health, Labour and Welfare Govt. of Japan	8			
TOTAL MARKS / TECHNICAL EVALUATION (A)		40	15	0	0

Muhammad Khuram Khalid
MUHAMMAD KHURAM KHALID
 Head of Internal Audit
 Institute of Business Administration
 Karachi.

Abdul Bahim Khan
Abdul Bahim Khan
 Project Director
 Planning & Development Department
 Dow University of Health Sciences
 Karachi.

[Signature]

[Signature]
[Signature]
 Director
 Dow University of Health Sciences
 Karachi

MANDATORY REUIRMENT FOR TECHNICAL EVALUATION FOR ELIGIBLE BIDDERS / QUALIFICATION CRITERIA

PARAMETERS / SUB-PARAMETERS

ITB Clause	Technical Evaluation Parameters	Total Marks	M/s MIA Corporation.	M/s Habibullah Associates (PVT) LTD.	M/s National Technologies Inc.
3	Manufacturer's Authorization (Mandatory)	10	0	0	0
3.1	Valid Authorization of Manufacturer of goods	10	0	0	0
3.2	Non-submission of valid manufacturer's authorization	Disqualify	Disqualify due to 03 options also Cooling tower Non Confermity in technical specification	Disqualify (Product made in turkey & malaysia)	Disqualify (due to Joint venture)
4	Legal Requirement (Mandatory)	8	7	8	8
4.1	Bid Form (without prices)	2	1 (without sign & stamp)	2	2
4.2	Tender Purchase Receipt	2	2	2	2
4.3	Taxation Certificate (NTN and GST)	2	2	2	2
4.4	Affidavit on Stamp Paper of Rs. 100/- that:	2	2	2	2
	. Bidder is not involved in any litigation with the Public / Private Sector University / Government / Semi Government Organization (Provincial / Federal / Local).				
	. Bidder is not black listed by any Public / Private Sector University / Government / Semi Government Organization (Provincial/Federal / Local).				
5	Technical Staff	10	5	5	5
5.1	Diploma Engineers in relevant field duly trained by OEM for required equipment (2 mark for each)	5	2 (OEM training Certificates not attached)	2 (OEM training Certificates not attached)	2 (OEM training Certificates not attached)
5.2	Graduate Engineers in relevant field duly trained by OEM for required equipment (2 marks for each)	5	(OEM training Certificates not attached)	(OEM training Certificates not attached)	(OEM training Certificates not attached)
PARAMETERS / SUB-PARAMETERS			12	13	13

Muhammad Khurram Khalid
 Head of Internal Audit
 Institute of Business Administration
 Karachi

Abdul Rahim Khan
 Project Director
 Planning & Development Department
 Dow University of Health Sciences
 Karachi.

(Handwritten signature)

Dr. Subanul H.
 Director Finance
 Dow University of Health Sciences
 Karachi

ITB Clause	Technical Evaluation Parameters	Total Marks	M/s MIA Corporation.	M/s Habibullah Associates (PVT) LTD.	M/s National Technologies Inc.
6	Networking and Training	6	6	5	4
6.1	Networking setup across Pakistan (1 mark for each setup)	4	4	3	3
6.2	Certificate to affect that the firm will provide training in the use of equipment to the relevant technical staff. Training plan must be attached with certificate	2	2	2	1
7	Delivery Schedule at consignees end	4	4	4	4
7.1	Up to 5 months or earlier (CFR / CNF/ C&F / CPT or DDP)	4	4	4	4
7.2	More than 5 months	0			
8	Past Experience / Performance of Last 3 years	5	3	4	2
8.1	Bidder's prior experience for supplying the quoted or better equipment to the Public / Private Sector Universities / Government / Semi-Government Organization (Provincial / Federal / Local) in Pakistan during the last 3 years. Documentary evidence in shape of Purchase Order and Installation Report / Satisfactory performance certificate must be attached. (1 mark for supply of each equipment / instrument)	5	3	4	2
9	Average Annual Turnover during the last three (03) years (financial year 2015-16, 2016-17 & 2017-18)	8	8	8	4
9.1	Turn over below 50 million	0			
9.2	Turn over above 50 million	2			
9.3	Turn over above 100 million	4			4
9.4	Turn over above 150 million	8	8	8	
10	Financial Statements for financial year 2015-16, 2016-17 & 2017-18	4	4	4	4
10.1	Audited statement of Accounts, for last three years	2	2	2	2
10.2	Provision of copy of Income Tax Return Forms, for last three years	2	2	2	2
11	Bonus points	5	0	0	2
11.1	Extended Warranty period free of cost (at least one year) (the bidder who offered greater period will get the marks)	5	0	0	2
TOTAL BIDDER EVALUATION (B)		60	25	25	20
GRAND TOTAL (A + B)		100	37	38	35
REMARKS			Disqualified	Disqualified	Disqualified

Note : As per clause 24.5 any Bid not meeting the mandatory requirements of evaluation criteria will be disqualified / rejected straight away and will not be considered for further evaluation.

MUHAMMAD KHURRAM KHALIL
Head of Internal Audit
Institute of Business Administration
Karachi

Abdul Raheem Khan
Project Director
Planning & Development Department
Dow University of Health Sciences
Karachi.

Handwritten signature

Handwritten signature
Dow University of Health Sciences
Karachi